

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20070177513"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 14:49
S2	10	"5,875,397"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 15:30
S3	3	"20010041566"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 15:33
S4	2	"20040255423"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 15:34
S5	3	"20040266423"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 15:34
S6	8	KUOKKANEN-J OR KUOKKANEN-ET- AL OR (jari near2 kuokkanen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:05
S7	88	nemo.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:06
S8	1	S7 AND IP.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:06

S9	1	S7 AND TCP.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:06
S10	1	S7 AND network.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:06
S11	1	S7 AND network\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:06
S12	50	(US-20070177513-\$ or US-20020041688-\$ or US-20020044660-\$ or US-20030002681-\$ or US-20080275996-\$ or US-20030100299-\$ or US-20030156548-\$ or US-20050120208-\$ or US-20050130645-\$ or US-20050260982-\$ or US-20060031522-\$ or US-20060085687-\$ or US-20070195696-\$ or US-20070202918-\$ or US-20070254644-\$).did. or (US-6467039-\$ or US-7100042-\$ or US-7100196-\$ or US-7386716-\$ or US-5768695-\$ or US-4332980-\$ or US-4445214-\$ or US-6078632-\$ or US-4511887-\$ or US-5249270-\$ or US-5333198-\$ or US-5577198-\$ or US-5594761-\$ or US-5613201-\$ or US-5629976-\$ or US-5710890-\$ or US-5778251-\$ or US-5812749-\$ or US-5834222-\$ or US-5835564-\$ or US-5858692-\$ or US-5983287-\$ or US-6028846-\$ or US-6112067-\$ or US-6243576-\$ or US-6680913-\$).did. or (US-6697604-\$ or US-7062264-\$ or US-7224968-\$ or US-7349692-\$ or US-7487396-\$ or US-6078566-\$ or US-5313461-\$ or US-5546211-\$ or US-5559800-\$).did.	US-PGPUB; USPAT	ADJ	ON	2009/02/05 19:23
S13	50	(US-20070291662-\$ or US-20070297414-\$).did. or (US-6609189-\$ or US-6816454-\$ or US-7318107-\$ or US-3560658-\$ or US-3568158-\$ or US-3582674-\$ or US-3584155-\$ or US-3594736-\$ or US-3611296-\$ or US-3617941-\$ or US-3622985-\$ or US-3623036-\$ or US-3634668-\$ or US-3636282-\$ or US-3646277-\$ or US-3651274-\$ or US-3652804-\$ or US-3662110-\$ or US-3662191-\$ or US-3663762-\$ or US-3670308-\$ or US-3678205-\$ or US-3681530-\$ or	US-PGPUB; USPAT	ADJ	ON	2009/02/05 19:23

		US-3696408-\$ or US-3717723-\$ or US-3725621-\$).did. or (US-3728683-\$ or US-3731275-\$ or US-3741469-\$ or US-3745528-\$ or US-3745558-\$ or US-3749844-\$ or US-3757313-\$ or US-3761816-\$ or US-3764989-\$ or US-3789150-\$ or US-3798613-\$ or US-3806886-\$ or US-3808373-\$ or US-3828344-\$ or US-3829790-\$ or US-3830128-\$ or US-3830983-\$ or US-3831151-\$ or US-3835257-\$ or US-3843927-\$ or US-3845425-\$ or US-3847100-\$).did.				
S14	0	S12 AND S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:23
S15	19459	370/241,248,351,389,400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:24
S16	2067	370/241.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/05 19:24
S17	2	(TCP/IP OR UDP/IP) with host with server with (IP address\$2) with (separate OR different) with (rout\$3 OR path\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:16
S18	1	(TCP/IP OR UDP/IP) SAME (IP address\$2) with (separate OR different) with (rout\$3 OR path\$4) SAME test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:17
S19	8	((TCP/IP OR UDP/IP) SAME (IP address\$2) with (separate OR different) with (rout\$3 OR path\$4)) AND test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:18
S20	2	"20020183054"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:20

S21	2	"5,910,977".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:21
S22	6	(TCP/IP OR UDP/IP) SAME host SAME server SAME (IP address\$2) SAME (separate OR different) SAME (rout\$3 OR path\$4) SAME test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:27
S23	956	(test\$3 near4 (wireless OR mobile) near4 terminals)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:28
S24	0	S23 AND (TCP/IP OR UDP/IP) SAME ((differ\$4 OR separat\$3) near4 IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:28
S25	0	S23 AND (TCP/IP OR UDP/IP) AND ((differ\$4 OR separat\$3) near4 IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:28
S26	4	S23 AND ((differ\$4 OR separat\$3) near4 IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:29
S27	2367	(test\$3 near4 (wireless OR mobile) near4 (terminals OR units OR devices))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:29
S28	5	S27 AND ((differ\$4 OR separat\$3) near4 IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:30
S29	2069	370/241.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:30

S30	20	S27 AND S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:30
S31	163	(test\$3 near4 (wireless OR mobile) near4 (terminals OR units OR devices)) AND (TCP/IP OR UDP/IP OR TCP OR UDP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:32
S32	5526	different near4 IP near4 addresses	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:54
S33	2305	multiple near4 IP near4 addresses	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55
S34	19486	370/241,248,351,389,400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55
S35	348	S33 AND S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55
S36	2496	different IP addresses	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55
S37	345	S36 AND S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55
S38	0	different IP addresses of	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:55

S39	452	(different IP addresses) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:56
S40	1	S39 AND S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:56
S41	43	S39 AND S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:56
S42	270	(different IP addresses) with port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:58
S43	91	((different OR multiple) IP addresses) with port with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 10:59
S44	13	(US-20070177513-\$ or US-20010041566-\$ or US-20040266423-\$ or US-20020183054-\$ or US-20030220101-\$ or US-20030156549-\$ or US-20080172366-\$ or US-20040003046-\$).did. or (US-5875397-\$ or US-5910977-\$ or US-7489947-\$ or US-7206548-\$ or US-7181663-\$). did.	US-PGPUB; USPAT	ADJ	ON	2009/02/10 11:59
S45	5	S44 AND dial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 11:59
S46	4	socket with (subnet near2 mask OR netmask) with gateway with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:04
S47	13	socket SAME (subnet near2 mask OR netmask) SAME gateway SAME address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:04

S48	13	socket SAME(subnet near2 mask OR netmask) SAME gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:12
S49	13	socket SAME (subnet near2 mask OR netmask) SAME gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:12
S50	545	socket AND (subnet near2 mask OR netmask) AND gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:13
S51	408	socket AND (subnet near2 mask OR netmask) AND gateway AND router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:13
S52	13	(US-20070177513-\$ or US-20010041566-\$ or US-20040266423-\$ or US-20020183054-\$ or US-20030220101-\$ or US-20030156549-\$ or US-20080172366-\$ or US-20040003046-\$).did. or (US-5875397-\$ or US-5910977-\$ or US-7489947-\$ or US-7206548-\$ or US-7181663-\$). did.	US-PGPUB; USPAT	ADJ	ON	2009/02/10 14:15
S53	5	(socket OR (subnet near2 mask OR netmask) OR gateway) AND S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:15
S54	9	S52 AND table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:21
S55	8	S52 AND routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:50
S56	9	S52 AND rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 14:50

S57	13	S52 AND (table OR stor\$3)	US-PGPUB; USPAT	ADJ	ON	2009/02/10 14:52
S58	8	S52 AND (source OR destination)	US-PGPUB; USPAT	ADJ	ON	2009/02/10 14:54

2/10/2009 5:09:38 PM

C:\Documents and Settings\oghowrwal\My Documents\EAST\Workspaces\10\_591295.wsp